Turf Care Reels









reelcraft.com MCGUIRE AIR COMPRESSO

MCGUIRE AIR COMPRESSORS www.hosereels.biz

Garden & Landscape

Great for golf courses, athletic fields, parks & rec.

Reelcraft's cart mounted reels are easy-to-use and convenient for club house areas, maintenance areas and flower beds. Series 30000 reels are designed to fit on Reelcraft's cart or trailer. Applications include grounds maintenance, golf courses, parks and rec, sports turf/athletic fields, pressure wash, farm or ranch, nurseries or orchards, resorts and hotels.

Hose Reel and Cart Packages							
Package	Items Included						
600965	 CA32112 L - 12" hand crank hose reel with a 1/2" fluid path and 200' capacity 600741-1 - 12" hand cart with pneumatic tires 600962 - 10' inlet hose 						
600966	 CA32112 L - 12" hand crank hose reel with a 1/2" fluid path and 200' capacity 600741-2 - 12" hand cart with semi-pneumatic tires 600962 - 10' inlet hose 						
600967	 CA33112 L - 12" hand crank hose reel with a 3/4" fluid path and 100' capacity 600741-1 - 12" hand cart with pneumatic tires 6009963 - 10' inlet hose 						
600968	 CA37118 L - 18" hand crank hose reel with a 1" fluid path and 100' capacity 600885-1 - 18" hand cart with penumatic tires S600829-10 - 10' inlet hose 						





NT.	1	÷	2	Cart Size						
*		44			12	305	18	457		
w.	А	2	::		in /	mm	in /	mm		
		m		A	Adjustable*					
() () () () () () () () () ()	÷	• •	B	B	23 ³ / ₄	604	28 ³ / ₄	731		
- 27"		÷.	D	C	18 1/2	152	181/4	464		
*Handle height of cart is adjustable to 35 5/8", 38 5/8", 41 1/2" or 44 1/2". Eight 5/16" (8 mm) diameter mounting holes.										



Refer to reelcraft.com for Series 30000 reel dimensions. Series 30000 Hose Reels

Model without	Type	Shippi Weigh	Shipping Weight Pressure		Ho I.	se D.			(F)NPTF Reel Outlet	(F)NPTF Hose Reel Inlet Lengt			
Hose		lbs / l	kg	psi /	bar	in /	mm	in / m	ım	in	in	ft /	m
CA37118 L	Hand Crank	54 2	24	300	21	1	25	1.375	35	1	1	100	30
EA37118 L12D	Motor Driven	71 3	32	300	21	1	25	1.380	35	1	1	100	30
CA33118 L	Hand Crank	51 2	23	1000	69	3/4	19	1.118	28	3/4	3/4	175	53
EA33118 L12D	Motor Driven	68 3	31	1000	69	3/4	19	1.188	30	3/4	3/4	175	53
600810 Trailer only - does not include reel or hose. Above reels fit trailer dimensions. Trailer weight 154 lbs / 70 kg.													
All Series 30000 reels supplied without hose. Assemblies quoted upon request. CAUTION: To prevent drum damage fully extend and pressurize hose and rewind on the reel.													



1.800.444.3134 www.reelcraft.com Models listed with an icon can be shipped same day upon request when the order is received by 11:30 AM local time for quantities of 5 or fewer. Indiana Warehouse

California Warehouse

Indiana & California Warehouses 1-888-229-99999 Warehouse


McGUIRE AIR COMPRESSORS www.hosereels.biz HOSE Reel and Trailer Series 30000

Professional Turf Care Trailer & Hose Reel

Great for golf courses, athletic fields, parks & rec.

Reelcraft's rugged, self-contained hose reel trailer easily attaches to most off-road vehicles or carts and is pre-drilled 12" and 18" for Reelcraft's Series 30000 hose reels. Reels hold up to 150' of 3/4" I.D. or 100' of 1" I.D. water hose. Makes spot watering on golf courses easier, quicker and more convenient. Applications include golf courses, athletic fields, sports turfs, grounds maintenance, parks and rec, agriculture and nurseries.

Hose Reel and Trailer Packages					
Package	Items Included				
600911	Trailer (600810); Hand rewind hose reel (CA37118 L); 10' lead hose (S600829-10); Roller Bracket, top wind (602133-3)				
600910	Trailer (600810); 12V DC Motor driven hose reel (EA37118 L12D); Switch, complete (S600808); Battery box, battery not included (S600812); Chain guard (600518); Roller bracket, top wind (602133-3); Roller bracket, bottom wind (S602132-2); 10' lead hose with 1" I.D. (600829-10)				
600810	Trailer only - does not include hose or reel. Reels designed for trailer include motor driven # EA37118 L12D and hand crank #CA37118L. Trailer weight 154 lbs / 70kg.				



Trailer designed for off-road use only, not for passenger transport. Maximum weight capacity 400 pounds. Maximum speed 15 miles per hour. Trailer, reel and accessories sold separately.

- 1. Respond Faster React quickly and easily, reduce tangled hoses, power-rewind hose.
- **2. Reduce Turf Damage** Avoid turf wear and damage from dragging hoses.
- 3. Enhance Existing System Provide quick supplemental irrigation to enhance your existing system.
- 4. Save Labor, Save Money Save labor by improving response time, reduce hose wear by storing on a reel.
- 5. Save Equipment Eliminate the need for a dedicated maintenance vehicle on a reel.




Trailer #600810 (above) with reel model **EA37118L12D** and accessories as follows: operating switch, top and bottom roller guides, battery box, battery connector, chain guard, 10' inlet hose and 1" I.D. by 100' hose. Order reel and trailer package #600910.



Hose Assemblies

Part	I.D.	0.D.	Max PSI	Inlet	Length	Weight
Number	in	in	psi	in	ft	lbs
601046-100	5/8	1	200	3/4 NPTF	100	28
601046-125	5/8	1	200	3/4 NPTF	125	35
601046-175	5/5	1	200	3/4 NPTF	175	49
601044-100	3/4	1.18	250	3/4 NPTF	100	25
601044-150	3/4	1.18	250	3/4 NPTF	150	38
601065-50	1	1.38	250	1 NH	50	21
601065-100	1	1.38	250	1 NH	100	42

Reelcraft Industries is ISO 9001:2008 McGUIRE^{ttified}Since 100 MCGUIRE



Equipment Cleaning Hose Reels

Equipment Cleaning

Great for golf courses, athletic fields, parks & rec.

Equipment Cleaning Hose Reels



Use air to clean carts and utility vehicles prior to washing to reduce water usage and cut down on clipping mess.


> 3/8" x 50' with hose.

SGA3850 OLP 1/2" x 50' with hose.

Series S SGA3650 OLP

management at each wash **bad** station with Reelcraft reels.

Improve hose



Pressure Wash ose Reels

Use to wash carts, utility vehicles and mowers.

> Series H18000 H18006 M 3/8" x 100' Hose sold separately.

Large Capacity Hose Reels

Series 40 hand crank Suggested models: 411171CG1LC up to 1" X 100'

432191CG1LC up to 1-1/2" X 100' Both without hose.

Series 30000 CA38112 M Up to 200' x 1/2" Hand crank 3000 PSL Hose sold separately.



Wash Pad **Hose Reels**

Wash pad application, reels to remain pressurized and tied into irrigation system complete with supply hose and shut off valve for fingertip control.



Lead hose included with wash pad reels. Series 7000 GC7925 OLP 3/4" x 25' with hose.





1.800.444.3134 www.reelcraft.com Models listed with an icon can be shipped same day upon request when the order is received by 11:30 AM local time for quantities of 5 or fewer. Indiana Warehouse

California Warehouse Indiana & California Warehouses 1-888-229 Condition Warehouse

Maintenance Facility

Great for golf courses, athletic fields, parks & rec.

Light and Power Cord Reels

Fluorescent Light L 4050 162 2 - 50' of cord



Power Cord L 4545 123 3A Female end; 45' #12/3 20 AMP/115 Volts

Incandescent Light L 4050 163 1 - 50' of cord With female receptacle

High Volume

Reels

Ideal for rapid filling of chemical, sprayer or other equipment tanks, or remote equipment cleaning.

> Series D80000 D 84050 OLP 1" x 50' w/ hose.




Welding

NSP Keels

14

Oxy-Acetylene for safety located next to overhead door, allows for less refilling and handling.

Series TW TW7460 OLPT Dual 1/4" x 60 w/ hose.



Air and Water Hose Reels

4625 OLP 3/8" x 25' 4435 OLP 1/4" x 35' Both with hose.



5650 OLP 3/8" x 50' A5850 OLP 1/2" x 50' Both with hose.



Series RT RT650-0LP 3/8" x 50'

RT450-0LP 1/4" x 50' Both with hose.

Turf Care Facility

Used to keep hoses & cords organized and out of the way.

Series 80000 83050 OLP 3/4" x 50'

82100 OLP 1/2" x 100' Both with hose.

Series 7000 7850 OLP




1/2" x 50' 7670 OLP 3/8" x 70'

Both with hose.



Reelcraft Industries is ISO 9001:2008 McGUIRE MARCOMPRESSOR





North America and **Corporate Headquarters**

2842 E. Business Hwy 30 Columbia City, IN 46725 Ph: 800-444-3134 • Fax: 800-444-4587 Ph: 260-248-8188 • Fax: 260-248-2605 reelcraft@reelcraft.com www.reelcraft.com

Latin America and the Middle East

Thompson International, Inc. P.O. Box 12958, Ft. Wayne, IN 46866 Ph: 260-489-1685 • Fax: 260-489-0203 info@t-i-i.com www.reelcraft.com/latinamerica

China

Reelcraft Changzhou Co., Ltd. Building C, No. 229 HeHai West Road Changzhou, Jiangsu, China 213022 Ph: +86 (519) 8512 2391 ext. 8002 Fax: +86 (519) 8512 9309 rco@reelcraftchina.com www.reelcraft.com/china

Europe

Unit 17 • Cronin Courtyard Weldon South Industrial Estate Corby • Northamptonshire NN18 8AG United Kingdom Ph: +44 (0) 1536 406999 Fax: +44 (0) 1536 406777 europe@reelcraft.com www.reelcraft.com/europe

Pacific Rim

P.O. Box 53776, Clark Freeport Zone Philippines 2023 Ph: +63 (45) 625-6624 Fax: +63 (45) 321-0643 rap@comclark.com www.reelcraft.com/asia

Australia

PO Box 6463 BC, Blacktown NSW 2148, Australia Ph: +61 (2) 9621 8988 Fax: +61 (2) 9621 7688 sales@recoila.com www.reelcraft.com



Form # TCR 7/2011